



Green = Values 4:1 Max/Min of Total Calculated Area
 Black = Values 4:1 Ave/Min of Total Calculated Area

Comments:
 1) Lux Values Shown are at grade
 2) Lux Values shown take into account a 10% reduction in Test data taken at 24V AC
 3) Lux Values Grid Spacing is 4 feet

Not to Scale

Luminaire Schedule										
Symbol	Qty	Label	Arrangement	Lum. Lumens	LLF	Description	Lum. Watts	Arr. Watts	Total Watts	
	5	L111708102	SINGLE	1164	0.900	CPL312	13.27	13.27	66.35001	

Calculation Summary									
Label	CalcType	Units	Avg	Max	Min	Avg/Min	Max/Min		
4 to 1 Ave-Min_O	Illuminance	Lux	0.44	17.96	0.00	N.A.	N.A.		
4 to 1 Ave-Min_0	Illuminance	Lux	2.44	17.96	0.11	22.18	163.27		
4 to 1 Max-Min_0	Illuminance	Lux	7.71	17.96	4.51	1.71	3.98		

These drawings are for conceptual use only and are not intended for construction. Values represented are an approximation generated from manufacturers photometric inhouse or independent lab tests with data supplied by lamp manufacturers.

#	Date	Comments

Revisions	

Drawn By: Joe Frey	Checked By:	Date: 1/17/2018	Scale: None
--------------------	-------------	-----------------	-------------